

Dane aktualne na dzień: 14-05-2024 04:35

Link do produktu: <https://sklep.tanienawadnianie.pl/trojnik-redukcyjny-pvc-90-stopni-d110-d75-p-4108.html>




Trójnik redukcyjny PVC 90 stopni D110 - D75

Cena brutto	145,68 zł
Cena netto	118,44 zł
Dostępność	Dostępny
Czas wysyłki	24 godziny
Numer katalogowy	3nik90red33
Kod producenta	3232
Producent	EFFAST

Opis produktu

Trójnik redukcyjny PVC 90 stopni

Trójnik redukcyjny 90°
KW x KW x KW



D1 x D2	L1	L2	Z1	Z2	E1	E2	PN
20 x 16	16	14	11	11	27.5	24	16
25 x 16	19	14	14	14	33.5	28	16
25 x 20	19	16	14	14	33.5	28	16
32 x 16	22	14	17	17	42	24	16
32 x 20	22	16	17	17	42	28	16
32 x 25	22	19	17	17	42	34	16
40 x 16	26	14	23	23	-	-	16
40 x 20	26	16	21	21	51	28	16
40 x 25	26	19	21	21	51	34	16
40 x 32	26	22	21	21	51	42	16
50 x 20	31	16	26	26	61	28	16
50 x 25	31	19	26	26	61	34	16
50 x 32	31	22	26	26	61	42	16
50 x 40	31	26	26	26	61	51	16
63 x 20	38	16	32.5	37	-	-	16
63 x 25	38	19	33	33	75	34	16
63 x 32	38	22	33	33	75	42	16
63 x 40	38	26	33	33	75	51	16
63 x 50	38	31	33	33	75	61	16
75 x 32	44	22	40	40.5	-	-	16
75 x 40	44	26	39	39	89	51	16
75 x 50	44	31	39	39	89	61	16
75 x 63	44	38	39	39	89	75	16
90 x 32	51	22	46	55	-	-	16
90 x 40	51	26	46	60	-	-	16
90 x 50	51	31	47	47	106	61	16
90 x 63	51	38	47	47	106	75	16
90 x 75	51	44	47	47	106	89	16
110 x 32	61	22	56	66.5	-	-	16
110 x 40	61	26	56	72	-	-	16
110 x 50	61	31	57	57	129	61	16
110 x 63	61	38	57	57	130	75	16
110 x 75	61	44	57	57	130	89	16
110 x 90	61	51	57	57	130	106	16
125 x 50	69	31	64	75	-	-	16
125 x 63	69	38	67	87	-	-	16
125 x 75	69	44	64	81	-	-	16
125 x 90	69	51	64	75	-	-	16
125 x 110	69	61	66.5	74	-	-	16
140 x 50	76	31	71.5	82	-	-	16
140 x 75	76	44	71.5	78	-	-	16
140 x 90	76	51	71.5	81	-	-	16
140 x 110	76	61	71.5	73.5	-	-	16
140 x 125	76	69	72	72	163	148	16
160 x 75	86	44	81	98	-	-	16
160 x 90	86	51	82	82	188	106	16
160 x 110	86	61	82	82	188	129	16
160 x 125	86	69	81	100	-	-	16
160 x 140	86	76	82	82	184	163	16
200 x 110	107	61	106	131	-	-	10
200 x 160	107	86	106	106	-	-	10
225 x 110	120	61	119	143	-	-	10
225 x 160	120	86	119	119	-	-	10
250 x 160	132	86	131	151	-	-	10
250 x 200	132	106	131	131	-	-	10
280 x 160	146	86	120	180	-	-	10
280 x 225	146	119	120	149	-	-	10
315 x 160	164	86	120	197	-	-	10
315 x 225	164	119	120	165	-	-	10
400 x 225	206	119	163	258	-	-	6
400 x 315	206	164	163	212	-	-	6

