

Dane aktualne na dzień: 15-05-2024 17:49

Link do produktu: <https://sklep.tanienawadnianie.pl/trojnik-redukcyjny-pvc-90-stopni-d200-d110-p-4125.html>




Trójnik redukcyjny PVC 90 stopni D200 - D110

Cena brutto	1 322,83 zł
Cena netto	1 075,47 zł
Dostępność	Dostępny
Czas wysyłki	24 godziny
Numer katalogowy	3nik90red50
Kod producenta	3249
Producent	EFFAST

Opis produktu

Trójnik redukcyjny PVC 90 stopni

Trójnik redukcyjny 90°
KW x KW x KW



D1 x D2	L1	L2	Z1	Z2	E1	E2	PN
20 x 16	16	14	11	11	27.5	24	16
25 x 16	19	14	14	14	33.5	28	16
25 x 20	19	16	14	14	33.5	28	16
32 x 16	22	14	17	17	42	24	16
32 x 20	22	16	17	17	42	28	16
32 x 25	22	19	17	17	42	34	16
40 x 16	26	14	23	23	-	-	16
40 x 20	26	16	21	21	51	28	16
40 x 25	26	19	21	21	51	34	16
40 x 32	26	22	21	21	51	42	16
50 x 20	31	16	26	26	61	28	16
50 x 25	31	19	26	26	61	34	16
50 x 32	31	22	26	26	61	42	16
50 x 40	31	26	26	26	61	51	16
63 x 20	38	16	32.5	37	-	-	16
63 x 25	38	19	33	33	75	34	16
63 x 32	38	22	33	33	75	42	16
63 x 40	38	26	33	33	75	51	16
63 x 50	38	31	33	33	75	61	16
75 x 32	44	22	40	40.5	-	-	16
75 x 40	44	26	39	39	89	51	16
75 x 50	44	31	39	39	89	61	16
75 x 63	44	38	39	39	89	75	16
90 x 32	51	22	46	55	-	-	16
90 x 40	51	26	46	60	-	-	16
90 x 50	51	31	47	47	106	61	16
90 x 63	51	38	47	47	106	75	16
90 x 75	51	44	47	47	106	89	16
110 x 32	61	22	56	66.5	-	-	16
110 x 40	61	26	56	72	-	-	16
110 x 50	61	31	57	57	129	61	16
110 x 63	61	38	57	57	130	75	16
110 x 75	61	44	57	57	130	89	16
110 x 90	61	51	57	57	130	106	16
125 x 50	69	31	64	75	-	-	16
125 x 63	69	38	67	87	-	-	16
125 x 75	69	44	64	81	-	-	16
125 x 90	69	51	64	75	-	-	16
125 x 110	69	61	66.5	74	-	-	16
140 x 50	76	31	71.5	82	-	-	16
140 x 75	76	44	71.5	78	-	-	16
140 x 90	76	51	71.5	81	-	-	16
140 x 110	76	61	71.5	73.5	-	-	16
140 x 125	76	69	72	72	163	148	16
160 x 75	86	44	81	98	-	-	16
160 x 90	86	51	82	82	188	106	16
160 x 110	86	61	82	82	188	129	16
160 x 125	86	69	81	100	-	-	16
160 x 140	86	76	82	82	184	163	16
200 x 110	107	61	106	131	-	-	10
200 x 160	107	86	106	106	-	-	10
225 x 110	120	61	119	143	-	-	10
225 x 160	120	86	119	119	-	-	10
250 x 160	132	86	131	151	-	-	10
250 x 200	132	106	131	131	-	-	10
280 x 160	146	86	120	180	-	-	10
280 x 225	146	119	120	149	-	-	10
315 x 160	164	86	120	197	-	-	10
315 x 225	164	119	120	165	-	-	10
400 x 225	206	119	163	258	-	-	6
400 x 315	206	164	163	212	-	-	6

