

Link do produktu: <https://sklep.tanienawadnianie.pl/zawor-tf-pvc-sterowany-silownikiem-elektrycznym-230v-12-p-3275.html>



Zawór TF PVC sterowany siłownikiem elektrycznym 230V 1/2"

Cena brutto	1 719,14 zł
Cena netto	1 397,67 zł
Dostępność	Na zamówienie
Czas wysyłki	14 dni
Numer katalogowy	TFE3
Kod producenta	2442
Producent	TF Fluid Control

Opis produktu

UWAGA:

Zawory są w wersji NC - czyli normalnie zamkniętej, jeśli potrzebujecie Państwo zawór w wersji NO - normalnie otwartej prosimy o taką informację przy zakupie.

CECHY:


1. mały rozmiar, pasują w ciasne systemy
2. opatentowana technologia - pływających uszczelek
3. Żywotność ponad 100,000 cykli
4. niskie zapotrzebowanie na energię, pomocne przy systemach bateryjnych
5. ręczny przełącznik ON/OFF
6. IP67

Product size: NPT/BSP 1" (Optional)

Valve type: 2 Way

Maximum working pressure: 1.0MPa

Circulation medium:	Fluid, Air
Rated voltage:	AC/110-230V
Wiring control methods:	CR502
Working current:	$\leq 500\text{MA}$
Open/close time:	$\leq 15\text{S}$
Life time:	70000 times
Valve body material:	PVC-U
Actuator material:	Engineering plastics
Sealing material:	EPDM & PTFE
Actuator rotation:	90 degree
Max. torque force:	10 Nm
Cable length:	0.5m
Environment temperature:	-15 ~ 50 centigrade
Liquid temperature:	2 ~ 90 centigrade
Manual override:	No
Indicator:	Yes
Protection class:	IP67



Zastosowanie:

1. HVAC systems.
2. Water treatment.
3. Chemical process.
4. IC card water meters, heat energy meters, solar instrument.
5. The central air conditioning fan coil, fire sprinkler
3. Water saving irrigation, automatic control system, industrial mini automatic control equipment.
4. Agriculture Irrigation equipment
5. Drinking water equipment, Water heater, washing machine, AHW etc.